



# CERTIFICATE OF CONFORMITY

CERT NO : 144658A

## CONTAMINANT

|  |   |                         |                          |
|--|---|-------------------------|--------------------------|
| DIAMETER   | 4.0mm                                       | STANDARD OF MANUFACTURE | ISO 3290 International   |
| MATERIAL   | (CERAMIC) ALUMINA OXIDE<br>99.5% PURE Al2O3 | DENSITY                 | 3.94 kg/ltr = 3.94 g/cm3 |
| GRADE  | 28  | HEAT NO                 | N/A                      |
| QUANTITY PURCHASED   | 500   | BATCH NUMBER            | 140612                   |
| MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS |   |                         |                          |

## CHEMICAL AND TEST DATA OF CONTAMINANT

|            |     |           |
|------------|-----|-----------|
| Al2O3      | %   | 99.500    |
| HV10kg/mm2 | HV1 | 1250-1700 |

## MANUFACTURE OF TEST PIECE DECLARATION

**We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.**

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550 and EC 1935/2004
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA  
The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOUSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive 10/2011/EC and FDA 177.1520
- POLYETHYLENE BAGS – Are in conformity with Directive 2004/1/EC 2004/19/EC 2005/79/EC 2007/19/EC 2008/39/EC

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                            |                |                         |
|----------------|----------------------------|----------------|-------------------------|
| Signature      | <i>Glenn Griffiths</i>     | Signature      | <i>Adam Bazeley</i>     |
| Name and Title | GLENN GRIFFITHS – DIRECTOR | Name and Title | ADAM BAZELEY - DIRECTOR |
| Date           | 29.01.2016                 | Date           | 29.01.2016              |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were delivered to Mediumz Ltd.

This cannot be altered as it allows traceability for Audit purposes.

# CERTIFIED TEST PIECES

CERTIFICATE OF CONFORMITY

CERT NO : 144658A

## CONTAMINANT

|                    |   |                         |                          |
|--------------------|---|-------------------------|--------------------------|
| DIAMETER           | 4.0mm                                       | STANDARD OF MANUFACTURE | ISO 3290 International   |
| MATERIAL           | (CERAMIC) ALUMINA OXIDE<br>99.5% PURE AI2O3 | DENSITY                 | 3.94 kg/ltr = 3.94 g/cm3 |
| GRADE              | 28  | HEAT NO                 | N/A                      |
| QUANTITY PURCHASED | 500   | BATCH NUMBER            | 140612                   |

MATERIALS SUPPLIED FROM ISO 9001;2008 / Din Standard QUALITY ASSURED SUPPLIERS

## CHEMICAL AND TEST DATA OF CONTAMINANT

|            |     |           |
|------------|-----|-----------|
| AI2O3      | %   | 99.500    |
| HV10kg/mm2 | HV1 | 1250-1700 |

## MANUFACTURE OF TEST PIECE DECLARATION

**We hereby declare that our Test Pieces are Manufacture from either the following Materials and Conform to the following Directives.**

- Cast Acrylic – Sheets are in conformity with requirements of EU regulation 1935/2004/EU on materials and articles intended to come in to contact with food. The used monomers and other raw materials meet the requirements of EU regulation No 10/2011
- PTFE Grade 400 – Sheets supplied are tested in accordance to FDA 177.1550 and EC 1935/2004
- ACETAL COPOLYMER – CC34031 GREY FDA / CG34096 BLUE FDA / CS33273 RED FDA / CL33402E YELLOW FDA / CJ34045 GREEN FDA  
The Colour concentrate meets the requirements for repeated Food Contact according to FDA 21 CFR 178.3297
- ACETAL RESIN – Rods are in conformity with Directive 2002/72/EC and FDA Regulation 21 CFR 177.2470
- SEMI RIGID HOUSING – Are in conformity with Directive 1935/2004/EU and FDA Regulation 21 CFR 177.1500
- POLYPROPYLENE – All monomers and additives are in conformity with Directive 10/2011/EC and FDA 177.1520
- POLYETHYLENE BAGS – Are in conformity with Directive 2004/1/EC 2004/19/EC 2005/79/EC 2007/19/EC 2008/39/EC

## TEST PIECE LIFE SPAN

- The contaminant or sphere is secured in a Medium or Housing so has an indefinite life span. Life span of the contaminant or sphere all depends on the housing of the test piece
- Test Pieces life expectancy depends on a great extent of the use it receives. Furthermore, customers often replace Test Pieces long before they become worn out due to changes in mishandling and damage to the Test piece.
- If a Test piece becomes chipped, broken or unreadable we recommend new test pieces.

|                |                        |                |                     |
|----------------|------------------------|----------------|---------------------|
| Signature      | <i>Glenn Griffiths</i> | Signature      | <i>Adam Bazeley</i> |
| Name and Title | GLENN GRIFFITHS        | Name and Title | ADAM BAZELEY        |
| Date           | 29.01.2016             | Date           | 29.01.2016          |

The date on the Certificate of Conformity relates to when the contaminants or Spheres were Purchased.

This cannot be altered as it allows traceability for Audit purposes.